

Inline Compact 600

Versatile space saving curing solution for efficient roll to roll DTF production

Designed and tested to integrate with various industry leading DTF printers while delivering demanding volume without compromising output quality. Featuring automatic operating mode, fast curing times and low power consumption for reduced energy costs.

The Compact 600 delivers all expected DTF shaker curer features and much more in a space saving design to provide a versatile yet extremely efficient and reliable solution for your DTF production and workflow.



Machine Features

- Compatible with industry leading printer brands.
- Reliably powder, cure & filter at speeds of 20 l/m per hour.
- Film feed speed detection for easy printer integration.
- Built-in filtration and extraction for safer operation.
- Replaceable medical grade filters for easy maintenance.
- Low powder warning light for uninterrupted workflow.
- Digital touch screen for intuitive control.
- Heavy duty build and reliability synonymous with Adkins.

Technical Specification

Voltage:	220-240V AC (UK-13A / EU-16A)
Power Consumption:	1.8kw (average)
Circuit Breaker:	15A
Media Size:	60cm maximum
Machine Size:	98(w) x 114(h) x 143(d) cm
Net Weight:	192KG
Package Size:	101(w) x 121(h) x 146(d) cm
Package Weight:	275KG
Minimum Workable Area:	257(w) x 150(h) x 210(d) cm
Heating:	4 x Top / 4 x Bottom Elements
Heat Up Time:	Approx 7mins (100 degrees)
Oil Removal:	Sealed oil collection and drainage tap
Powder Collection:	Powder tray accessible from either side